

# 4-ZONE ELECTRIC GLASS-CERAMIC COOKER

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1138759T4W

MODELLO  
DT94/10TVTC-T4W

SERIE  
DIAMANTE 4.0



## GENERAL CHARACTERISTICS

Diamond 90 Touch 4.0 - Everything under control  
Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display.  
Tradition and innovation, everything on your worktop  
A new non-slip square and rounded knob design for a more ergonomic grip and an embossed indicator that makes it easier to select the datum to be set. And with the exclusive Encoder Functionality, simply touch the parameter you want, turn the knob to adjust the level and press it to start the set datum. With water- and dirt-proof crown.  
Quick and precise parameter selection.  
Easy and clear temperature management.  
Special functions always visible and accessible from the display.  
Stainless steel outer shells and feet.  
Height from worktop adjustable from 840 to 900 mm.  
Tops with 2 mm thickness  
All model-identified equipment (T4W) is 4.0 Ready equipment, allowing you to benefit from all the advantages of connecting your equipment to a cloud system.

## TECHNICAL SPECIFICATIONS

Firing zone (270x270mm) marked with square silk-screen printing, indicating the size of the ideal container to be used.  
Single zone power of 4 kW.  
Temperature adjustable by thermostat from 70 to 450°C.

Power level control via touch screen and adjustment with ergonomic knob

Unbreakable flush-mounted glass for easy handling of pans.

industry 4.0 ready version.

Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display.

Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

# 4-ZONE ELECTRIC GLASS-CERAMIC COOKER

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1138759T4W

MODELLO  
DT94/10TVTC-T4W

SERIE  
DIAMANTE 4.0

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR1138759T4W
DEFINITION	DT94/10 TVTC-T4W VTC 4Z. TOP IOT ELETTR.
COMMERCIAL LINE	DIAMANTE TOUCH
SUPPLY	ELECTRICS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	250 mm
NET WEIGHT	88,000 Kg
VOLUME (net)	0.18
PACKAGE LENGTH	0 mm
PACKAGE WIDTH	0,000 mm
PACKAGING HEIGHT	0,000 mm
PACKAGE VOLUME	0,400 m3
GROSS PACKING WEIGHT	97,000 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	16 kW
IP GRADE	IPX5
CERTIFIED MODEL	DT94/10 TVTC

# 4-ZONE ELECTRIC GLASS-CERAMIC COOKER

Project: .....  
 Rev: .....  
 Zone: .....  
 Location: .....


CODICE  
CR1138759T4W

MODELLO  
DT94/10TVTC-T4W

SERIE  
DIAMANTE 4.0

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRIJNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm - MESURES EN cm  
 MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda	
<b>E</b> Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwarte - Entrada cabo eléctrico	<b>G</b> Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás
<b>S</b> Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	<b>H20</b> Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água
<b>S1</b> Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	<b>A1</b> = Calda - Heiss - Warm - Chaude - Caliente - Morno <b>A2</b> = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
<b>S2</b> Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão	<b>L</b> Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nível
<b>S3</b> Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	

1

# 4-ZONE ELECTRIC GLASS-CERAMIC COOKER

Project: .....  
Rev: .....  
Zone: .....  
Location: .....




CODICE  
CR1138759T4W

MODELLO  
DT94/10TVTC-T4W


SERIE  
DIAMANTE 4.0

## Product's PLUS

Temperature control via touch screen and adjustment with ergonomic knob



Possibility of setting 2 timers to control cooking. An acoustic signal warns the operator at the end of the set time.



Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display.



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.



Power level control via touch screen and adjustment with ergonomic knob



Unbreakable flush-mounted glass for easy handling of pans.

# 4-ZONE ELECTRIC GLASS-CERAMIC COOKER

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1138759T4W

MODELLO  
DT94/10TVTC-T4W

SERIE  
DIAMANTE 4.0

## ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1357499	4.IOTPRO	PRO Subscription - Cloud
CR1357479	4.IOTENTRY	ENTRY Subscription - Cloud