

# 1 SECTION BACKBAR COOLING COUNTER



**L** 970 mm

**B** 650 mm


**H** 860 mm




<b>B</b> 650 mm	Volume Volume   Volumen				Layout Disposition   Anordnung
Z-FP0-B101-100/65/90	130 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-G101-100/65/90	130 l	-14 ... -5 °C	4,1 A	506 W	
Z-FP0-B111-100/65/90	130 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-G111-100/65/90	130 l	-14 ... -5 °C	4,1 A	506 W	



Two shelf levels for bordeaux wine bottles



Easy service. Cooling monoblock can be changed in a minute



Drawers with 110% extending stainless steel telescopic rails

# 2 SECTION BACKBAR COOLING COUNTER



**L** 1390 mm

**B** 650 mm


**H** 860 mm




<b>B</b> 650 mm	Volume Volume   Volumen				Layout Disposition   Anordnung
Z-FP0-B202-140/65/90	260 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-G202-140/65/90	260 l	-14 ... -5 °C	4,1 A	506 W	
Z-FP0-B212-140/65/90	260 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-G212-140/65/90	260 l	-14 ... -5 °C	4,1 A	506 W	
Z-FP0-B230-140/65/90	260 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-G230-140/65/90	260 l	-14 ... -5 °C	4,1 A	506 W	
Z-FP0-B231-140/65/90	260 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-G231-140/65/90	260 l	-14 ... -5 °C	4,1 A	506 W	



Two shelf levels for bordeaux wine bottles



Easy service. Cooling monoblock can be changed in a minute



Drawers with 110% extending stainless steel telescopic rails


# 3 SECTION BACKBAR COOLING COUNTER



**L** 1810 mm

**B** 650 mm


**H** 860 mm




<b>B</b> 650 mm	Volume Volume   Volumen				Layout Disposition   Anordnung
Z-FP0-B303-185/65/90	390 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B313-185/65/90	390 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B332-185/65/90	390 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B335-185/65/90	390 l	+4 ... +10 °C	2,8 A	293 W	



Two shelf levels for bordeaux wine bottles



Easy service. Cooling monoblock can be changed in a minute



Drawers with 110% extending stainless steel telescopic rails

# 4 SECTION BACKBAR COOLING COUNTER



**L** 2230 mm

**B** 650 mm


**H** 860 mm




<b>B</b> 650 mm	Volume Volume   Volumen	<b>t</b>	<b>i<sub>A</sub></b>	<b>i<sub>W</sub></b>	Layout Disposition   Anordnung
Z-FP0-B404-225/65/90	520 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B414-225/65/90	520 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B433-225/65/90	520 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B434-225/65/90	520 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B436-225/65/90	520 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B437-225/65/90	520 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B438-225/65/90	520 l	+4 ... +10 °C	2,8 A	293 W	
Z-FP0-B439-225/65/90	520 l	+4 ... +10 °C	2,8 A	293 W	



Two shelf levels for bordeaux wine bottles



Easy service. Cooling monoblock can be changed in a minute



Drawers with 110% extending stainless steel telescopic rails