Project:
Rev.:
Zone:
Location:



CODICE CR0997909 MODELLO
D76/10FTEA1/3R

SERIE
DIAMANTE 70



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently.

Scotch Brite finish stainless steel outer shells and feet.

Worktop height adjustable from 840 to 900 mm.

Modularity of range: 200-400-600-800-1200

Wide range of accessories.

TECHNICAL SPECIFICATIONS

Cooking plate lowered from the top by 40 mm.

Cooking plates made with satin-finished surface and surface coated with soft iron, AISI430 steel or polished hard chrome, all available in smooth mixed or ribbed.

Plates inclined by 10mm towards the front of the machine. Large grease collection drawer.

Electric version: heating by means of armoured incoloy heating elements. Cooking temperature thermostatically controlled and adjustable from 110 to 280°C. Safety thermostat.

Model with Plate 1/3 ridged 2/3 smooth

Plate made of AISI430 steel.

Project:
Rev.:
Zone:
Location:



CR0997909

MODELLO
D76/10FTEA1/3R

SERIE
DIAMANTE 70

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0997909
DEFINITION	D76/10 FTEA1/3R FTE 1/3R M120 430 V.G.
COMMERCIAL LINE	DIAMANTE
SUPPLY	ELECTRICS
DIM. WIDTH	1200 mm
DIM. PRODUCTIVITY	730 mm
DIM. HEIGHT	870 mm
NET WEIGHT	115,000 Kg
VOLUME (net)	0.762
PACKAGE LENGTH	440 mm
PACKAGE WIDTH	980,000 mm
PACKAGING HEIGHT	500,000 mm
PACKAGE VOLUME	0,540 m3
GROSS PACKING WEIGHT	130,000 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	16.2 kW
IP GRADE	IPX4
CERTIFIED MODEL	D76/10 FTEA1/3R





Project:
Rev.:
Zone:
Location:



CODICE CR0997909 MODELLO
D76/10FTEA1/3R

SERIE
DIAMANTE 70







CODICE CR0997909 MODELLO
D76/10FTEA1/3R

SERIE
DIAMANTE 70

Product's PLUS



Grooved plate design ensures cleanliness right to the end of the plate



Plate welded to the hob that provides a larger cooking zone and eliminates dirt accumulation areas.



A 10-mm inclination of the plates towards the front of the machine allows optimal grease outflow to the grease tray.

Project:
Rev.:
Zone:
Location:



CODICE **CR0997909**

MODELLO
D76/10FTEA1/3R

SERIE
DIAMANTE 70

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1353939	70XFTP12	SPLASH GUARD FOR FRY TOP MODULE 1200
CR0592079	NXFTC4	Fry top cleaning drawer M40-M120
CR0592089	NXFTC6/8	Fry top cleaning drawer M40-M60-M80-M120
CR0592060	NXFTT	PLANCHA CLEANING PLUG
CR1354989	PRPC	Smooth plate cleaning scraper - chrome-plated
CR1354999	PKLR	Replacement blades (10PCS)
CR1356399	RPR	Striped chrome plate scraper

